



## Notice to Transport

EC-1800, Revision 1

Envirocare has reviewed the Radioactive Waste Profile Record and supporting documentation for the waste stream identified below. Based on our review of the information and certifications provided, Envirocare hereby issues notice that the following waste may be scheduled for transport and delivery to the Envirocare Disposal Facility.

US Department of Energy/Oak Ridge, TN 0209001601  
 Generator Name / Waste Location Utah Site Access Permit Number

UT Battelle LLC  
 Contractor Name

8014-01 Notice to Transport Rev# 4 Waste Profile Rev# 4 (Date: 10-09-03)  
 Waste Stream ID

Oversize Debris w/ PCB 50,000  
 Waste Stream Name Volume (ft<sup>3</sup>)

Waste Type: NORM  LLRW  RCRA Treated LLRW  11c.(2)   
 MW  Treated MW  MW Needing Treatment   
 PCB/Rad  PCB/MW  PCB/MW Needing Treatment

Waste Form: Solid  Liquid

Waste will require treatment or solidification at Envirocare's Treatment Facility:  Yes  No  
If yes, indicate "Treatment Facility" in Block 9 of the Uniform LLRW Manifest Form 540.  
 If no, indicate "Bulk Waste Facility" in Block 9 of the Uniform LLRW Manifest Form 540.

Disposal Cell Location (Bulk Waste Facility):  Class A LLRW  Mixed Waste  11c.(2)

*Paul Rogers* 10/14/03  
 Signature Date

**NOTICE:** Transport and delivery of the material are to be done in accordance with a signed Disposal Agreement. Upon arrival at the facility, the shipment will be made subject to incoming-shipment procedures and may be accepted or rejected by Envirocare for management at the facility. To generators of mixed waste designated above, notice is hereby provided that Envirocare possesses a RCRA permit for the treatment, storage and disposal of mixed (radioactive/hazardous) waste. Hazardous waste manifests and applicable LDR notices and certifications must also accompany mixed waste shipments. Envirocare will accept conforming waste shipped by the generator in accordance with our permits and waste disposal agreement.

**NOTE:** THE WASTE MUST NOT CONTAIN UNAUTHORIZED FREE LIQUIDS OR PYROPHORIC, SHOCK-SENSITIVE, AIR-REACTIVE, OR WATER-REACTIVE MATERIALS, AND MUST CONFORM WITH THE FOLLOWING INCOMING SHIPMENT PARAMETER TOLERANCES:

Waived Waived Waived Waived Waived  
 Solid pH Ox/Red Test Cyanide Test "Sniffer" Sulfide test

The above ranges have been established for the waste using the pre-shipment samples that were submitted prior to waste stream approval. DO NOT SHIP MATERIAL THAT EXCEEDS ANY OF THE ABOVE TOLERANCES.